

Panaji, 19th September, 1991 (Bhadra 28, 1913)

SERIES I No. 25

# OFFICIAL GAZETTE

## GOVERNMENT OF GOA

### EXTRAORDINARY

#### GOVERNMENT OF GOA

##### Transport Department

##### Notification

5/28/88-TPT

The below mentioned Notifications from the Government of India, Ministry of Surface Transport (Transport Wing), New Delhi are hereby republished for general information of the public.

S. O. 444 (E) dated 12th June, 1989.

G. S. R. 725 (E) dated 31st July, 1989.

G. S. R. 666 (E) dated 30th June, 1989.

S. O. 475 (E) dated 21st June, 1989.

P. S. Nadkarni, Under Secretary to the Govt. of Goa, Transport Department.

Panaji, 5th October, 1989.

#### GOVERNMENT OF INDIA

BHARAT SARKAR

#### MINISTRY OF SURFACE TRANSPORT

(JAL BHOOTAL PARIVAHAN MANTRALAYA)  
(Transport Wing/Parivahan Paksha)

New Delhi, the 12th June, 1989.

##### Notification

S. O. 444(E). — In exercise of the powers conferred by sub-section (6) of section 41 of the Motor Vehicles Act, 1988 (59 of 1988), the Central Government hereby allots to the States and Union Territories specified in column (1) of the Table below, the groups of letters specified in the corresponding entry in column (2) thereof, for use as registration mark for each State and Union Territory to be followed by the code number of the Registering Authority to be allotted by the State Government or as the case may be the Administrator of the Union Territory and not exceeding four figures, to be used as registration mark.

TABLE

States/Union Territories	Group of letters
(1)	(2)
1. Andaman and Nicobar	AN
2. Andhra Pradesh	AP
3. Arunachal Pradesh	AR
4. Assam	AS
5. Bihar	BR
6. Chandigarh	CH
7. Dadra and Nagar Haveli	DN
8. Daman and Diu	DD
9. Delhi	DL
10. Goa	GA
11. Gujarat	GJ
12. Haryana	HR
13. Himachal Pradesh	HP
14. Jammu and Kashmir	JK
15. Karnataka	KA
16. Kerala	KL
17. Lakshadweep	LD
18. Madhya Pradesh	MP
19. Maharashtra	MH
20. Manipur	MN
21. Meghalaya	ML
22. Mizoram	MZ
23. Nagaland	NL
24. Orissa	OR
25. Pondicherry	PY
26. Punjab	PB
27. Rajasthan	RJ
28. Sikkim	SK
29. Tamil Nadu	TN
30. Tripura	TR
31. Uttar Pradesh	UP
32. West Bengal	WB

2. Where the four figures referred to in paragraph 1 reaches 9999, the next series shall begin with alphabet 'A' followed by not more than four figures and thereafter with alphabet 'B' followed by not

more than four figures and so on until all the alphabets, excluding 'I' and 'O' are exhausted:

Provided that the letters shall be in English and the figures shall be in Arabic numerals and the letters and figures shall be painted in reflecting colours and shall be shown :

- (a) in the case of transport vehicles other than those under the Rent a Cab Scheme, 1989 in black on a white ground;
- (b) in the case of motor vehicles temporarily registered, in red on a yellow ground;
- (c) in the case of motor vehicles in the possession of dealers, in white on a red ground;
- (d) in other cases, in white on a black ground;
- (e) in the case of transport vehicle under the Rent a Cab Scheme, 1989, in yellow on a black ground.

3. This notification shall come into force on the first day of July, 1989.

*B. R. Chavan*, Joint Secretary to the Govt. of India.  
(File No. RT-11014/3/89-TAG).

#### GOVERNMENT OF INDIA

BHARAT SARKAR

#### MINISTRY OF SURFACE TRANSPORT

(JAL BHOOTAL PARIVAHAN MANTRALAYA)  
(Transport Wing/Parivahan Paksha)

*New Delhi, the 31st July, 1989*

#### Supplementary Corrigendum

G. S. R. 725(E).—In the Gazette of India, Ministry of Surface Transport (Transport Wing), Notification No. 590(E) dated 2nd June, 1989, published in the Extraordinary issue of Gazette of India, Part II, Section 3, sub-section (i), the following corrections are substituted:—

- In proviso under clause (viii) to sub-rule (3) of rule 24, in line 5 & 6, for 'sub-clause' read 'clause'.
- In clause (vi) to sub-rule (7) of rule 76, in the last line for 'i' read '(1)'.
- For rule '85B.' read '85A.'.
- In sub-rule (11) to rule 128 in line 3, for '85A.' read '85'.
- In rule 137, in line 3, for 'Toble' read 'Table'.
- In sub-rule (2) of rule 160 in line 8 for 'and' read 'add'.
- In sub-rule (2) of rule 161 in line 7 & 8 for 'guaranter' read 'guarantor'.
- In Form 1, on page 164, omit line 6 onwards.
- On page 4 of Corrigendum issued on 30-6-89, in correction No. 15, substitute.  
'LD50 (Cutaneous)v (mg/kg body weight)'.  
for  
'LD50 (Cutaneuos) + (mg/kg body weight)'.

*B. R. Chavan*, Joint Secretary to the Government of India (File No. RT-11014/1/98-TAG).

#### GOVERNMENT OF INDIA

BHARAT SARKAR

#### MINISTRY OF SURFACE TRANSPORT

(JAL BHOOTAL PARIVAHAN MANTRALAYA)  
(Transport Wing/Parivahan Paksha)

*New Delhi, the 30th June, 1989.*

#### Corrigendum

G. S. R. 666(E).—In the Gazette of India, Ministry of Surface Transport (Transport Wing), Notification No. 590(E) dated 2nd June, 1989, published in the Extraordinary issue of Gazette of India, Part II, Section 3, sub-section (i), the following corrections are substituted:—

- In Para 4 of the notifications, in line 2, for 'or' substitute 'of'.
- In sub-rule (3) of rule 1, in line 3, after the figure '105' insert 'rule 113'.
- In sub-rule (3) of rule 1, in line 5, for '27' substitute '127'.
- In rule 6, in line 3, for 'produce' substitute 'produced' and in line 6, for 'insurance' substitute 'issuance'.
- In the proviso to rule 7, in line 3, for 'thirsty' substitute 'thirty'.
- In rule 9, in line 3, for 'driaving' substitute 'driving'.
- In rule 10(b) in line 2, for 'centimatres' substitute 'centimetres'.
- In rule 10(d), in line 4, for 'heav' substitute 'heavy'.
- After clause (d) of rule 10, for the marginal heading "Preliminary test" substitute "11. Preliminary test".
- In sub-rule (2) to rule 11, for sub-clause '(d)' substitute '(c)'.
- In the clause so re-numbered as '(c)' in line 2, for 'received' substitute 'renewed'.
- In rule 12 in line 2 for 'miner' substitute 'minor'.
- In clause (a) of rule 14, in line 1 for 'drivie' substitute 'drive' and in line 2 for 'of' substitute 'to'.
- In sub-rule 3 'n' of rule 15, in line 2, substitute 'or' for 'of'.
- In rule 19, in line 3, substitute '5' for 4.
- In clause (i) of rule 22, insert 'or' after 'Refusing' and in clause (i) of rule 22, in line (1) of Rule 31, for 'ccording' substitute 'according'.
- In clause (n) to sub-rule (3) of rule 24, in line 1, after 'box' insert 'for'.
- In sub-rule (3) (viii) (c) of rule 24, in line 1, for 'through' substitute 'thorough'.
- In sub-rule (3) of rule 26, in line 1, for 'certificate' substitute 'licence'.
- In point 5 of Driving Theory under sub-rule (1) of Rule 31, for 'ccording, substitute 'according'.
- In rule 32, in point 9 of the Table, for 'asiabhshment' substitute 'establishment'.

- In rule 33, in line 6, for 'outherty' substitute 'authority'.
- In rule 34, in line 2, for 'of', substitute 'or'.
- In rule 40, in line 1, for 'Registrations' substitute 'Restrictions'.
- In sub-rule (3) to rule 43, in line 2, omit the bracket.
- In sub-rule (3) to rule 52, in line 2 for 'no the' substitute 'not be'.
- In sub-rule (2) of rule 63, in line 4, add 'is' at the end.
- In clause (c) of sub-rule (3) of rule 63, in first line for 'adiacent' substitute 'adjacent'.
- In clause (f) of rule 65, in line 1, for 'primonent' substitute 'prominent'.
- In clause (a) of rule 65, in line 7, for 'point' substitute 'print'.
- In clause (c) of sub-rule (1) of Rule 69, in line 3, for 'te' substitute 'the'.
- In sub-rule (2) of rule 69, after the second line, insert as follows :—  
'of authority shall surrender the same to the registering authority forthwith.  
(3) Where the security deposit is forfeited under sub-rule (1), the holder of the letter'.
- In sub-rule (3) of rule 69, so inserted, in the penultimate line and the last line, for the word 'relaxation' substitute 'relation'.
- In rule 70, in line 3, for the figure 68, substitute '69'.
- In rule 77, in line 3, for 'reflecting' substitute 'reflecting', and in line 4 for 'road' substitute 'rear'.
- In rule 79, in line 2, for the figure '7' substitute '76'.
- In rule 79, in line 5, for 'than' substitute 'then'.
- In rule 79, in the last line for 'ot' substitute 'to'.
- In rule 80(1), in line 9 for 'simultanesouly' substitute 'simultaneously'.
- In rule 80, in line 3, for 'accohdance' substitute 'accordance', and in line 4, for 't--sfer or' substitute 'transferor'.
- In clause (c) of sub-rule (1) of rule 80 in line 3, for 'lecate' substitute 'locate' and in last line for 'transferred' substitute 'transferee'.
- In clause (d) of sub-rule (1) of rule 80, for 'vahicle' substitute 'vehicle' and in line 8 of the same rule, substitute 'whose' for 'wheose'.
- In rule 81, in line 1, for 'or' substitute 'of'.
- In the Table to rule 81, for serial number 3, substitute 3. Appeal under rule 46 Fifty 46(1) — rupees.
- In clause (b) of sub-rule (2) of rule 82, in line 1, omit '(b)'.
- In clause (b) of sub-rule (2) of rule 82, in line 2, for 'an' substitute 'on'.
- In rule 84, in line 2, for 'demed' substitute 'deemed'.
- In rule 85, in line 1, omit the word 'As'.
- In rule 85, in line 2, for the word 'the' appearing at the opening line substitute 'The'.
- In rule 85 (1), in line 4 for 'a', substitute 'or' and in line 5, for 'Police of' substitute 'Police or a,'.
- In rule 85 (3) in line 11 for 'effered' substitute 'offered'.
- In sub-rule 1, of rule 85, in line 3, for 'passenger' substitute 'passengers', in line 7, after 'rity' insert 'authorised', and in the last line for 'our' substitute 'tour'.
- In sub-rule (3) of rule 85, in line 2, for 'and' substitute 'end'.
- In the proviso to sub-rule (3) of rule 85 in line 3, for 'effered' substitute 'offered'.
- In sub-rule (5) of rule 90 in line 3, for 'office' substitute 'officer'.
- In the proviso to sub-rule (2) of rule 92, in line 3, after 'public' insert 'place'.
- In rule 93 (2) (iv), for 'trailor' substitute 'trailer'.
- Under Table to Rule 95 for the heading 'Motor Scooter Derivatiles' substitute 'Motor Scooter Derivatives'.
- In rule 97, in the proviso to sub-rule (1), in line 3, for 'non-ratatio nof' substitute 'non-rotation of'.
- In proviso to sub-rule (6) A of rule 93 for 'centimenters' substitute 'centimetres'.
- In sub-rule (6) A (vi) for 'carier' substitute 'carrier'.
- In rule 94 (3) .(iii) for 'guitar' substitute 'guiter'.
- In rule 100, under explanation (i), in the last line, for 'serve' substitute 'severe'.
- In rule 104(1), in line 2, insert 'be' after 'shall' and in clause (a), line 3 substitute 'rear' for 'read'.
- In clause (d) of sub-rule (1) of rule 106, in line 6, for 'capable' substitute 'incapable'.
- In clause (d) of sub-rule (1) of rule 106, in line 8, for 'inoperation', substitute 'in operation'.
- In rule 114, in line 3, for 'infiabile' substitute 'inflamable'.
- In rule 115 (2) (c), in the Table substitute 'Light Absorption Coefficient m-1' for 'Lgiht Absorption Coefficient ml'.
- In rule 115(3), in line 2, for 'perol' substitute 'petrol'; in line 3 substitute 'mass' for 'mess'; and in line 7, insert 'as' after 'be'.
- In rule 115 (5), in line 2, substitute 'diesel' for 'ptol'.
- In the Table under Rule 115 (5), in column 1 substitute 'Mass' for 'Msas' and insert 'Maxm. Grams per KWH below '(CO)'; and insert '14' for '14%'.
- In rule 117, in line 5, substitute 'if' for 'of'.

- In sub-rule (2) of rule 120, in line 3, for 'FIS' substitute 'BIS'.
- In sub-rule (2) of rule 121, in line 4, for '11' substitute '(11)'.
- In rule 127, for 'manwfacturer' substitute 'manufacturer'.
- In sub-rule (2) of rule 128, in line 4, substitute 'aerodynamical' for 'acrodynamical'.
- In sub-rule (1) of rule 128, in line 5, add 'wheel' before the word 'base'.
- In rule 128(6), in line 4, substitute 'vertical' for 'verticle'.
- In rule 128 (13) (iv), last word of line 2, for 'aind' substitute 'and'.
- In item (iii) of rule 129, in line 3, for 'level' substitute 'label'.
- In rule 129(ii), on page 142, in line 1, substitute '(iii)' for '(ii)'.
- In rule 129(ii), on page 142, in line 4, 'add' after 'thereof'.
- In rule 129(iii), on page 142, in line 1, substitute '(ii)' for '(iii)'.
- In rule 129(iii), on page 142, in line 3, substitute, 'lables' for 'level'.
- In rule 130(4), on page 142, in line 2, substitute 'or' for 'of'.
- In rule 130(4), on page 142, in line 3, substitute 'on the places shown in the Table in rule 134' for 'both in the front and in the rear in a conspicuos manner'.
- In rule 131(1), on page 142, in line 4, add 'by a goods carriage shall', before such goods' after 'hazardous goods'.
- In rule 131(1), on page 142, in line 4, add 'on a goods carriage' after 'loaded'.
- In rule 132, on page 142, in line 2, substitute 'or' for 'of'.
- In rule 134, on page 143, in line 6, Add 'so that the emergency information panel faces to each side of the carriage and to its rear' after 'below'.
- In rule 134(ii) on page 143, in line 1, substitute '(iii)' for '(ii)' and add the following rule after rule 134(i) —
  - (ii) The United Nations class number for the dangerous or hazardous goods as given in column 1, Table 1 appended with Rule 137, in numerals not less than 100 milimetres high.
- In rule 134(ii), on page 143, in line 3, substitute '250' for '260'.
- In rule 134(iii), on page 143, in line 1, substitute '(iv)' for '(iii)'.
- In rule 134(iii), on page 143, in line 2, substitute 'contacted' for 'contracted'.
- In rule 134(iii), on page 143, in line 8, substitute 'some' for 'so ne'.
- In rule 134 (iii), on page 143, in line 8, substitute 'expert' for 'export'.
- In rule 135, on page 146, in line 8, substitute 'arising' for 'raising'.

- In rule 137, on page 146, in Table 1 in line 1, substitute 'UN Class' for 'SI'.
- In rule 137, on page 148, in Table 1, in line 1, Under Division 6.1, substitute 'harmful' for 'poisonous' (toxic).
- In rule 137, on page 149, in Table 1, under Corrosives, in line 2, substitute 'attacking' for 'for attaching'.
- In rule 137, on page 149, in Table II(a), rearrange matter after 6 ..... accident hazards.

LD 50 (Oral)*	LD 50 (Cutaneous) +	LC 50%
(mg/kg. body weight)	(mg/kg. body weight)	(mg/kl. inha-tation)
LD 50 $\leq 5$ to $\leq 200$	LD 50 $\leq 10$ to $\leq 400$	LC 50 $\leq 0.1$ to $\leq 2$

\*LD 50 oral in rats; +LD 50 Cutaneous in rats or rabbits, %LC 50-by inhalation (four hours) in rats.

- In rule 137, on page 149, in Table II(b) (i), in line 5, add 'C' after '20'.
- In rule 137, on page 149, in Table II(b) (ii), in line 4, substitute 'above' for 'aboe'.
- In rule 137, on page 149, in Table III, column 1, line 4, substitute '2-CYANOPROPAN-2-OL' for '2-CYANOFROFAN-2-OL'.
- In rule 137, on page 150, in Table III, column 1, line 5, Delete 'I' after 'NITRATES'.
- In rule 137, on page 150, in Table III, column 1, line 6, Delete '2' after 'FERTILIZERS'.
- In rule 137, on page 150, in Table III, column 1, line 26, add ',', between 4 and 6.
- In rule 137, on page 150, in Table III, column 1, line 28, substitute 'BIS (CHLOROMETHYL) ETHER' for 'BIS (CHLOROPETHYL) ETHER'.
- In rule 137, on page 150, in Table III, column 1, line 29, substitute 'BIS (tert-BUTYLPEROXY, BUTANE, 2-2)' for '(tert-BUTYLPHROXY, BUTANE, 2-2)'.
- In rule 137, on page 150, in Table III, column 2, line 4, add 'F' after 'T'.
- In rule 137, on page 150, in Table III, column 2, line 5, substitute 'OR' for 'TF'.
- In rule 137, on page 150, in Table III, column 2, line 6, substitute 'O' for 'E'.
- In rule 137, on page 150, in Table III, column 2, line 7, add T.
- In rule 137, on page 150, in Table III, column 2, line 34, substitute 'F' for 'R'.
- In rule 137, on page 150, in Table III, column 2, line 35, substitute 'F' for 'R'.
- In rule 137, on page 150, in Table III, column 2, line 36, substitute 'F' for 'R'.
- In rule 137, on page 150, in Table III, column 2, line 40, Delete first 'R'.
- In rule 137, on page 150, in Table III, column 2, line 41, Delete first 'R'.
- In rule 137, on page 150, in Table III, column 2, line 42, substitute 'F' for 'R'.

- In rule 137, on page 151, in Table III, column 1, line 26, substitute 'CRIMIDINE' for 'DRIMIDINE'.
- In rule 137, on page 151, in Table III, column 1, line 27, substitute 'CROTONALDEHYDE' for 'DROTONALDEHYDE'.
- In rule 137, on page 151, in Table III, column 1, line 28, substitute 'CUMENE' for 'DUMENE'.
- In rule 137, on page 151, in Table III, column 1, line 29, substitute 'CYANOTHIOATE' for 'DYANOTHIOATE'.
- In rule 137, on page 151, in Table III, column 1, line 34, substitute 'CYCLOTETRA...' for 'CYCLOTETRA RA...'.
- In rule 137, on page 151, in Table III, column 2, line 1, Delete 'R'.
- In rule 137, on page 151, in Table III, column 2, line 13, Add 'T'.
- In rule 137, on page 151, in Table III, column 2, line 16, Add 'T'.
- In rule 137, on page 151, in Table III, column 2, line 23, Add 'T'.
- In rule 137, on page 151, in Table III, column 2, line 28, Add 'T'.
- In rule 137, on page 151, in Table III, column 2, line 29, Add 'F'.
- In rule 137, on page 152, in Table III, column 1, line 18, substitute 'DINITROBENZENE' for 'DIMNITROBENZENE'.
- In rule 137, on page 152, in Table III, column 1, line 21, substitute 'DINITRO-o-CRESOL' for 'DINTRO-o-CRESOL'.
- In rule 137, on page 152, in Table III, column 1, line 25, substitute 'EPICHLOROHYDRIN' for 'EPICHLOROHYDRINE'.
- In rule 137, on page 152, in Table III, column 1, line 43, substitute 'FLUORINE' for 'FRUORIDE'.
- In rule 137, on page 152, in Table III, column 2, line 14, Add 'F'.
- In rule 137, on page 152, in Table III, column 2, line 20, Add 'T'.
- In rule 137, on page 152, in Table III, column 2, line 21, Add 'T'.
- In rule 137, on page 152, in Table III, column 2, line 30, substitute 'C & F' for 'T'.
- In rule 137, on page 152, in Table III, column 2, line 33, Add 'F'.
- In rule 137, on page 153, in Table III, column 1, lines 1, 2 and 3, substitute '&' for 'coma' between ESTERS & AMIDES.
- In rule 137, on page 153, in Table III, column 1, line 3, substitute 'FLUOROCROTONIC' for 'FLUORODROTONIC'.
- In rule 137, on page 153, in Table III, column 1, line 6, substitute 'GLYCOLONITRILE' for 'GLYCONITRILE'.
- In rule 137, on page 153, in Table III, column 1, line 6, substitute 'HYDROXYACETONITRILE' for 'HYDROSYACETONITRILE'.
- In rule 137, on page 153, in Table III, column 1, line 9, substitute 'DIOXIN' for 'DIOXINE'.
- In rule 137, on page 153, in Table III, column 1, line 11, substitute 'TETROXACYCLONONANE' for 'TETROXACLONONANE'.
- In rule 137, on page 153, in Table III, column 1, line 12, Add 'coma' between '24'.
- In rule 137, on page 153, in Table III, column 1, line 30, substitute 'MALEIL' for 'MALTEL'.
- In rule 137, on page 153, in Table III, column 1, line 32, substitute 'ALKYL' for 'ALHYL'.
- In rule 137, on page 153, in Table III, column 1, line 35, substitute 'ACETATE' for 'AUETATE'.
- In rule 137, on page 153, in Table III, column 1, line 39, substitute 'BROMOMETHANE' for 'BROMODETHANE'.
- In rule 137, on page 153, in Table III, column 1, line 42 and 43 substitute 'METHYL' for 'METHTL'.
- In rule 137, on page 153, in Table III, column 2, line 4, Add 'F'.
- In rule 137, on page 153, in Table III, column 2, line 9, Add 'T'.
- In rule 137, on page 153, in Table III, column 2, line 16, substitute 'C' for 'T'.
- In rule 137, on page 153, in Table III, column 2, line 21, Add 'T'.
- In rule 137, on page 153, in Table III, column 2, line 26, Add 'T'.
- In rule 137, on page 153, in Table III, column 2, line 31, Add 'T'.
- In rule 137, on page 153, in Table III, column 2, line 32, Add 'T'.
- In rule 137, on page 153, in Table III, column 2, line 34, Add 'T'.
- In rule 137, on page 153, in Table III, column 2, line 39, Add 'F' after 'T'.
- In rule 137, on page 154, in Table III, column 1, line 2, substitute 'ISOCYANATE' for 'ISODYANATE'.
- In rule 137, on page 154, in Table III, column 1, line 11, substitute 'NAPHTHALENE' for 'NAPHTYALENE'.
- In rule 137, on page 154, in Table III, column 1, line 22, substitute 'NITROPROPANE-1' for 'NITROFRUFANE-1'.
- In rule 137, on page 154, in Table III, column 1, line 23, substitute 'NITROPROPANE-2' for 'NITROFROFANE-2'.
- In rule 137, on page 154, in Table III, column 1, line 26, substitute 'PHOSPHOROTHIOATE' for 'PHUSPHORUTHIOATE'.
- In rule 137, on page 154, in Table III, column 1, line 28, substitute 'ISOPROPYLTHIOMETHYL' for 'IBOFROPYLTHIOMETHYL'.
- In rule 137, on page 154, in Table III, column 1, line 28, substitute 'PHOSPHORODITHIOATE' for 'PHOSPHURODITHIOATE'.

- In rule 137, on page 154, in Table III, column 1, line 29, substitute 'PHOSPHORODITHIOATE' for 'PHOFHORODITHIOATE'.
- In rule 137, on page 154, in Table III, column 1, line 30, substitute 'OXYDISULFOTON' for 'OXYDISULFUTON'.
- In rule 137, on page 154, in Table III, column 1, line 37, Delete 'PENSULFOTHION'.
- In rule 137, on page 154, in Table III, column 2, line 7, Add 'T'.
- In rule 137, on page 154, in Table III, column 2, line 17, substitute 'T' for 'P'.
- In rule 137, on page 154, in Table III, column 2, line 19, Add 'F' after 'T'.
- In rule 137, on page 154, in Table III, column 2, line 33, Add 'T'.
- In rule 137, on page 154, in Table III, column 2, line 37, Delete 'T'.
- In rule 137, on page 154, in Table III, column 2, line 43, Add 'T'.
- In rule 137, on page 155, in Table III, column 1, line 3, substitute 'PHOSACETIN' for 'PHOSAOETIM'.
- In rule 137, on page 155, in Table III, column 1, line 10, Add Line 11 after line 10 in brackets.
- In rule 137, on page 155, in Table III, column 1, line 21, substitute 'QUINONE' for 'OUI-NONE'.
- In rule 137, on page 155, in Table III, column 1, line 26, substitute SODIUM PICRAMATE' for 'SODIUM FICRAMATE'.
- In rule 137, on page 155, in Table III, column 2, line 4, Add 'F'.
- In rule 137, on page 155, in Table III, column 2, line 8, Add 'T'.
- In rule 137, on page 155, in Table III, column 2, line 16, Add 'F'.
- In rule 137, on page 155, in Table III, column 2, line 21, Add 'T'.
- In rule 137, on page 155, in Table III, column 2, line 23, put space between E, R & O.
- In rule 137, on page 155, in Table III, column 2, line 24, substitute 'O' for 'D'.
- In rule 137, on page 155, in Table III, column 2, line 30 Add 'F'.
- In rule 137, on page 155, in Table III, column 2, line 31, Add 'C'.
- In rule 137, on page 155, in Table III, column 2, line 32, Add 'C'.
- In rule 137, on page 155, in Table III, column 2, line 33, Add 'T'.
- In rule 137, on page 156, in Table III, Column 1, Line 1, substitute 'TETRAMETHYL EN-EDISULPHOTETRAMINE' for 'TETRA-METHYLENDI SULPHOTETRAMINE'.
- In rule 137, on page 156, in Table III, Column 1, Line 3, substitute TETRANITROMETHANE' for TETRANI-TRUMETHANE'.
- In rule 137, on page 156, in Table III, Column 1, Line 10, substitute TOLUENE-2-4-DIIS-OCYANATE for TOLUENE-2-4-DITSOCY-ANATE.
- In rule 137, on page 156, in Table III, Column 1, Line 12, substitute 'TRIAZOLE' for 'TRAZOLE'.
- In rule 137, on page 156, in Table III, Column 1, Line 13, substitute 'TRIAMINO' for 'TRIMINO'.
- In rule 137, on page 156, in Table III, Column 1, Line 14, substitute 'TRICHLOROETHYLENE' for 'TRICHLORODETHYLENE'.
- In rule 137, on page 156, in Table III, Column 1, Line 15, Remove space between E & T.
- In rule 137, on page 156, in Table III, Column 1, Line 15, substitute 'TRICHLOROMETHANESULPHENYL' for 'TRICHLOROMETHANESULPHENIL'.
- In rule 137, on page 156, in Table III, Column 1, Line 18, substitute 'TRINITROANILINE' for TRINITRUANILINE'.
- In rule 137, on page 156, in Table III, Column 1, Line 23, substitute '6' for '5'.
- In rule 137, on page 156, in Table III, Column 1, Line 24, substitute 'ACID' for 'ACIT'.
- In rule 137, on page 156, in Table III, Column 1, Line 25, substitute 'TRINITROTOLUENE' for 'TRINITROTOLOUENE'.
- In rule 137, on page 156, in Table III, Column 1, Line 36, substitute 'ZIRCONIUM' for 'ZIROONIUM'.
- In rule 137, on page 156, in Table III, Column 2, Line 3, Add 'T'.
- In rule 137, on page 156, in Table III, Column 2, Line 25, Add 'E'.
- In rule 137, on page 156, in Table III, Column 2, Line 26, Add 'T'.
- In rule 137, on page 156, in Table III, Column 2, Line 27, Add 'F'.
- In rule 137, on page 156, in Table III, Column 2, Line 28, substitute 'Ra' for 'T'.
- In rule 137, on page 156, in Table III, Column 2, Line 35, Add 'T'.
- In rule 137, on page 156, in Table III, Footnotes, line 1, substitute 'Corrosive' for 'Corrossive'.
- In rule 137, on page 156, in Table III, Footnotes, line 2, Add Ra-RADIOACTIVE.
- In rule 140(iv), in line 2, substitute 'lending' for 'leading'.
- In rule 140(vii), substitute 'established' for 'establishes'.
- In rule 147(ii), in line 3, insert 'of' after the word 'numbers'.
- In rule 149, in line 6, substitute 'police' for 'policy'.
- In rule 153, in line 1, for 'of' substitute 'at'; and in line 2, for 'kept' substitute 'keep'.
- In rule 154(2) delete the last word 'Authority'.
- In sub-rule (2) of rule 157, in line 1, after 'subject' insert 'to'.



- In rule 158, in line 1, for 'be' substitute 'The'.
- After rule 158 and before rule 159, in the heading for 'Foerign' substitute 'Foreign'.
- In sub-rule (1) of rule 159, in line 7, omit 'a'.
- In sub-rule (2) to rule 159, in line 3, for 'guaranted' substitute 'guaranteed'.
- In sub-rule (3) of rule 160, in line 1, for 'guranteering' substitute 'guaranteeing'.
- In the proviso to sub-rule (3) of rule 160 (i) in line 3, after 'renewed' insert 'in': and
- (ii) in line 6, for 'or' substitute 'as'.
- In sub-rule (4) of rule 160, in line 4, for 'move' substitute 'remove'.
- After rule 161, rule 16 is appearing, instead of rule 16, rule 162 may be read.
- In rule 163, penultimate line, substitute 'reasonably' for 'resonably'.
- In Form 1, Part-II, on page 162, in point 7(a) substitute 'Is' for 'If'; in point 7(e), in line 2 substitute 'him' for 'his'; and in column 7(1) on page 163 substitute 'his' for 'this'.
- In Form 2, on page 165, in point 3 substitute '(Proof to be enclosed)' for 'Proof to be enclosed'.
- In Form 2 on page 166, in point 11, substitute 'by' for 'up'.
- In Form 3 on page 168, insert number 1 before 'Name' in point 6 substitute 'Mark(s)' for the word 'Mark'. in last line of the form before (Warning), substitute 'applicable' for 'applocable', and under the warning substitute 'has' for 'hass'.
- In Form 4 on page 170, in the note substitute 'is' after the word 'whichever'.
- In Form 6, page 172, in the line 12, delete the word 'of' appearing between 'class' and 'or'; and in the line 17 substitute 'licence' for the word 'licences' appearing on the right hand side.
- In Form 9, on page 174, point (e) substitute 'authorised' for 'auhtorised'.
- In Form 12 on page 177, in point 5, substitute 'cassettes' for 'cassetes'.
- In Form 16 on page 179, in point 6, delete the word 'each'.
- In Form 17 on page 180, below the heading substitute (To be printed in a circle of 70 millimetres diameter) for (To be printed in diametre shape of 70 millimetres); and in point (7) insert the word 'and' between 'Date' and 'Stamp' and on page-181, in line 3, substitute 'lying' for 'laying': In form 18 on page 181, in the last para substitute I/We for 'I';
- In form 19, on page 181, in column 6, substitute 'leaving' for 'aleaving'.
- In Form 20, on page 182 in point 5, substitute 'Sale' for 'Sales' and after point-17, substitute the number '18' before 'Engine number' and on page 184, in the address at the end substitute 'financier' for 'financer'.
- In Form 21, on page 185, in point 2, substitute 'Makers'; and in point 5, substitute 'cubic' for 'cibic'.
- In Form 23, on page 186, substitute 'Registration number...' for 'Registered number...' and in the examples below brief description of Vehicles substitute 'Leyland' for 'Layland'.
- In Form 23, on page 187, insert 'to' before 'the' in the last three lines of the last para.
- In form 24, on page 189, in points 8, & 17 substitute 'Maker's' for 'Makers' and on page 190, point 23.1. substitute 'Number' for 'No'.
- In Form 25, on page 192, in Para 2 of the certificate substitute 'Particulars' for 'Particulars';
- In Form 26 on page 192, substitute 'Financier' for 'Financer'. and on page 193, in line 7 substitute 'Police' for 'Police Station'.
- In Form 28, on page 195, in line 6 substitute 'authority' for 'uthority'; in point 11 substitute 'case(s)' for 'cases'; and in point 12 substitute 'Registering' for 'Reigsering' and
- In Part III. on page 196 in the signature delete 'Office' after 'person authorised by him' and add 'Office' before 'seal' in the next line.
- In Form 30, on page 197 and 198, substitute 'financier' for 'financer' in line 2 of Part I of line 21 of Part II.
- In Form 31, on page 199, in point 3, delete 'to' after 'succeeding'; and on page 200, line 1, add 'if financier' after 'consent' and substitute, 'financier' for 'financer' in the address.
- In Form 32, on page 200, in the heading substitute 'purchased' for 'purchase' and 'action' for 'Action'.
- In Form 33, on page 201, in line 12, substitute '(proof to be enclosed)' for '(evidence to be enclosed)'.
- In Form 37, on page 201, after the last para substitute 'Signature of the' for 'Sig.'.
- In Form 38, on page 204, substitute 'Date...' for 'D'.
- In Form 40, on page 206, in point 8(iv), substitute 'Helper' for 'Helpers'.
- In Form 43, on page 208 in point 16, substitute 'Registration' for 'Registered'.
- In Form 43, on page 209, in point 15(a) add 'axle' after 'front'.
- In Form 46, on page 212, point 11, substitute 'fro' for 'from'.
- In Form 48, in point 9, substitute 'tractor' trailer for 'truck trailer'.
- In Form 50, on page 215, in line 6, substitute 'Consignor' for 'Cosignor', in column 3, 'Kilograms' for 'K.G.' and on page 216, in line 5, 'consignor' for 'consigner' and in line 2 of the Note substitute 'consignor' for 'consigner' and 'triplicate' for 'truplicate'.

— In Form 55, on page 219, substitute 'See' for 'She'; above the heading 'ated' for 'ated' in the last line.

— In Form 57, on page 220, in the last line substitute '(Signature of the approved foreign insurer)' for approved 'foreign insurer'.

— In Form 58, on page 220, in line 2 of para 2 substitute 'the' for 'he'.

— In the Annexure-I on page 221, in point 2, substitute ' $150 < R \leq 350$ ' for ' $150 < \leq 350$ '.

— In the Annexure-II, on page 222 in column 2 substitute 'Acceleration (m/Sec. 2)' for 'Acceleration (m/acc. 2)'.

B. R. Chavan,

Joint Secretary to the Government of India.

(File No. R-T-11014/1/89-TAG)

GOVERNMENT OF INDIA

(BHARAT SARKAR)

MINISTRY OF SURFACE TRANSPORT

(JAL BHOOTAL PARIVAHAN MANTRALAYA)

(Transport Wing)

(Parivahan Paksha)

New Delhi, the 21st June, 1989.

Notification

S. O. 475(E). In exercise of the powers conferred by sub-section (7) of section 116 of the Motor Vehicles Act, 1988 (59 of 1988) the Central Government hereby substitutes the Schedule to the said Act by the following Schedule, namely:—


**SCHEDULE**

PART 'A'

MANDATORY SIGNS OF [MANDATORY SIGNS SCHEDULE OF THE MOTOR VEHICLES ACT 1988]

**No. M1—STOP**


← NORMAL SIZE 90 CM  
SMALL SIZE 60 CM →



NOTE:— TILL THE ROAD USERS ARE FAMILIAR WITH THIS SIGN A DEFINITION PLATE MAY BE ATTACHED WITH THE SIGN CARRYING THE WORD 'STOP' IN ENGLISH AND OTHER LANGUAGES AS NECESSARY

**No. M2—GIVE WAY**


← NORMAL SIZE 90 CM  
SMALL SIZE 60 CM →




NOTE:— TILL THE ROAD USERS ARE FAMILIAR WITH THIS SIGN A DEFINITION PLATE MAY BE USED WITH THE SIGN, CARRYING THE MESSAGE 'GIVE WAY' IN ENGLISH AND OTHER LANGUAGES AS NECESSARY.




NO. M3 — STRAIGHT PROHIBITED  
OR NO ENTRY




NO. M4 A — ONE WAY SIGN — VEHICLES PROHIBITED  
IN ONE DIRECTION




NO. M4 B—ONE WAY SIGN—VEHICLES PROHIBITED  
IN ONE DIRECTION




NO M5—VEHICLES PROHIBITED  
IN BOTH DIRECTIONS




No M6-ALL MOTOR VEHICLES PROHIBITED




No M7-TRUCKS PROHIBITED




NO. M8 - BULLOCK CARTS AND HAND  
CARTS PROHIBITED




NO M9 - BULLOCK CARTS PROHIBITED







No. MIO - TONGAS PROHIBITED





No. MII - HAND CARTS PROHIBITED





NO. M12 - CYCLE PROHIBITEDNO. M13 - PEDESTRIANS PROHIBITED


No. M14—RIGHT TURN PROHIBITEDNo. M15—LEFT TURN PROHIBITED




No. M16—U-TURN PROHIBITEDNo. M17—OVERTAKING PROHIBITED

No. M18-HORNS PROHIBITEDNo. M19-NO PARKING

NOTE:- A DEFINITION PLATE MAY BE ATTACHED WITH THE SIGN CARRYING THE MESSAGE, IN ENGLISH AND OTHER LANGUAGES AS NECESSARY, AS ALSO ANY ADDITIONAL INFORMATION SUCH AS THE PERIOD DURING WHICH THE RESTRICTIONS WILL BE IN FORCE OR THE PARTICULAR VEHICLES TO WHICH IT APPLIES


No. M20 - NO STOPPING OR STANDING

NOTE:- A DEFINITION PLATE MAY BE ATTACHED WITH THE SIGN CARRYING THE MESSAGE IN ENGLISH AND OTHER LANGUAGES AS NECESSARY, AS ALSO ANY ADDITIONAL INFORMATION SUCH AS THE PERIOD DURING WHICH THE RESTRICTIONS WILL BE IN FORCE OR THE PARTICULAR VEHICLES TO WHICH IT APPLIES.


No. M21- SPEED LIMIT




NOTE:- WHERE SPEED LIMIT IS IMPOSED ONLY ON CERTAIN CLASS OR CLASSES OF MOTOR VEHICLES, THIS MAY BE SPECIFIED ON A DEFINITION PLATE. WHERE IN ADDITION TO GENERAL SPEED LIMIT, A SPECIAL SPEED LIMIT IS IMPOSED ON MOTOR VEHICLE OF CERTAIN CLASS OR CLASSES, THE LATTER TOGETHER WITH THE CLASS OR CLASSES OF VEHICLES MAY BE SPECIFIED ON A DEFINITION PLATE.

No M 22-WIDTH LIMIT




No M 23-HEIGHT LIMIT



No. M24-LENGTH LIMITNo. M25-LOAD LIMITNo. M26 AXLE LOAD LIMIT

No. M 27-RESTRICTION ENDS SIGN

NORMAL SIZE 60 CM  
SMALL SIZE 40 CM




NORMAL SIZE 130mm  
SMALL SIZE 90mm

WHITE BACKGROUND  
BLACK OBLIQUE BAR

No. M 28- COMPULSORY TURN LEFT  
( RIGHT IF SYMBOL IS REVERSED )


NORMAL SIZE 60 CM  
SMALL SIZE 40 CM



WHITE SYMBOL  
BLUE BACKGROUND

No. M29-COMPULSORY AHEAD  
AHEAD ONLY


NORMAL SIZE 60 CM  
SMALL SIZE 40 CM



WHITE SYMBOL  
BLUE BACKGROUND

No. M30-COMPULSORY TURN RIGHT AHEAD  
(LEFT IF SYMBOL IS REVERSED)

NORMAL SIZE 60 CM  
SMALL SIZE 40 CM




WHITE SYMBOL  
BLUE BACKGROUND



No. M 31- COMPULSORY  
AHEAD OR TURN RIGHT


NORMAL SIZE 60 CM  
SMALL SIZE 40 CM






WHITE SYMBOL  
BLUE BACKGROUND

No M32-COMPULSORY  
AHEAD OR TURN LEFT

NORMAL SIZE 60 CM  
SMALL SIZE 40 CM




WHITE SYMBOL  
BLUE BACKGROUND

No.M 33-COMPULSORY  
KEEP LEFTNORMAL SIZE 60 CM  
SMALL SIZE 40 CMWHITE SYMBOL  
BLUE BACKGROUNDNo.M 34-COMPULSORY  
CYCLE TRACKNORMAL SIZE 60 CM  
SMALL SIZE 40 CMWHITE SYMBOL  
BLUE BACKGROUNDNo.M 35-COMPLUSORY  
SOUND HORNNORMAL SIZE 60 CM  
SMALL SIZE 40 CMWHITE SYMBOL  
BLUE BACKGROUND

No. M-36 COMPULSORY BUS STOP


RED BAND  
CENTRE - WHITE  
DEVICE - BLACK



CAUTIONARY SIGNS OF SCHEDULE OF THE MOTOR VEHICLES ACT 1988

No. C1-GENERAL DESIGN

NORMAL SIZE 70mm  
SMALL SIZE 45 mm




WHITE BACKGROUND  
RED BORDER

NORMAL SIZE 90 CM  
SMALL SIZE 60 CM

No. C2-RIGHT HAND CURVE


NORMAL SIZE 70mm  
SMALL SIZE 45 mm




BLACK SYMBOL  
WHITE BACKGROUND  
RED BORDER

NORMAL SIZE 90 CM  
SMALL SIZE 60 CM

No C3-LEFT HAND CURVE




No C4-RIGHT HAIR PIN BEND



No. C5-LEFT HAIR PIN BEND

NORMAL SIZE 70mm  
SMALL SIZE 45mm




BLACK SYMBOL  
WHITE BACKGROUND  
RED BORDER

NORMAL SIZE 90 CM  
SMALL SIZE 60 CM

No. C6-RIGHT REVERSE BEND

NORMAL SIZE 70mm  
SMALL SIZE 45mm



BLACK SYMBOL  
WHITE BACKGROUND  
RED BORDER

NORMAL SIZE 90 CM  
SMALL SIZE 60 CM

No C7-LEFT REVERSE BENDNORMAL SIZE 70mm  
SMALL SIZE 45mmBLACK SYMBOL  
WHITE BACKGROUND  
RED BORDERNORMAL SIZE 90 CM  
SMALL SIZE 60 CMNo. C8- STEEP ASCENTNORMAL SIZE 70mm  
SMALL SIZE 45mmBLACK SYMBOL  
WHITE BACKGROUND  
RED BORDERNORMAL SIZE 90 CM  
SMALL SIZE 60 CM

No C9—STEEP DESCENT

NORMAL SIZE 70mm  
SMALL SIZE 45mm




BLACK SYMBOL  
WHITE BACKGROUND  
RED BORDER

NORMAL SIZE 90 CM  
SMALL SIZE 60 CM

No C10—NARROW ROAD AHEAD


NORMAL SIZE 70mm  
SMALL SIZE 45mm



BLACK SYMBOL  
WHITE BACKGROUND  
RED BORDER

NORMAL SIZE 90 CM  
SMALL SIZE 60 CM



No. C11-ROAD WIDENS AHEADNORMAL SIZE 70 mm  
SMALL SIZE 45 mmBLACK SYMBOL  
WHITE BACKGROUND  
RED BORDERNORMAL SIZE 90 CM  
SMALL SIZE 60 CMNo. C12-NARROW BRIDGENORMAL SIZE 70 mm  
SMALL SIZE 45 mmBLACK SYMBOL  
WHITE BACKGROUND  
RED BORDERNORMAL SIZE 90 CM  
SMALL SIZE 60 CM

NO C13-SLIPPERY ROAD

NORMAL SIZE 70mm  
SMALL SIZE 45mm



BLACK SYMBOL  
WHITE BACKGROUND  
RED BORDER



NORMAL SIZE 90 CM  
SMALL SIZE 60 CM

NO C14- LOOSE GRAVEL


NORMAL SIZE 70mm  
SMALL SIZE 45mm



BLACK SYMBOL  
WHITE BACKGROUND  
RED BORDER



NORMAL SIZE 90 CM  
SMALL SIZE 60 CM

NO. C15-CYCLE CROSSINGNORMAL SIZE 70 mm  
SMALL SIZE 46 mmLACK SYMBOL  
WHITE BACKGROUND  
RED BORDERNORMAL SIZE 90 CM  
SMALL SIZE 60 CMNO. C16-PEDESTRIAN CROSSINGNORMAL SIZE 70 mm  
SMALL SIZE 45 mmBLACK SYMBOL  
WHITE BACKGROUND  
RED BORDERNORMAL SIZE 90 CM  
SMALL SIZE 60 CM

NO. C17-SCHOOL AHEAD

NORMAL SIZE 70 mm  
SMALL SIZE 45 mm



BLACK SYMBOL  
WHITE BACKGROUND  
RED BORDER



NORMAL SIZE 90 CM  
SMALL SIZE 60 CM

NO. C18-MEN AT WORK

NORMAL SIZE 70 mm  
SMALL SIZE 45 mm




BLACK SYMBOL  
WHITE BACKGROUND  
RED BORDER



NORMAL SIZE 90 CM  
SMALL SIZE 60 CM

NO.C19-CATTLE

NORMAL SIZE 70mm  
SMALL SIZE 45mm



BLACK SYMBOL  
WHITE BACKGROUND  
RED BORDER

NORMAL SIZE 90 CM  
SMALL SIZE 60 CM

NO.C20-FALLING ROCKS

NORMAL SIZE 70mm  
SMALL SIZE 45mm




BLACK SYMBOL  
WHITE BACKGROUND  
RED BORDER



NORMAL SIZE 90 CM  
SMALL SIZE 60 CM

No. C21-FERRYNORMAL SIZE 70mm  
SMALL SIZE 45mmBLACK SYMBOL  
WHITE BACKGROUND  
RED BORDERNORMAL SIZE 90 CM  
SMALL SIZE 60 CMNo. C22-CROSS ROADNORMAL SIZE 70mm  
SMALL SIZE 45mmBLACK SYMBOL  
WHITE BACKGROUND  
RED BORDERNORMAL SIZE 90 CM  
SMALL SIZE 60 CM


NO.C19-CATTLENORMAL SIZE 70mm  
SMALL SIZE 45mmBLACK SYMBOL  
WHITE BACKGROUND  
RED BORDERNORMAL SIZE 90 CM  
SMALL SIZE 60 CMNO.C20-FALLING ROCKSNORMAL SIZE 70mm  
SMALL SIZE 45mmBLACK SYMBOL  
WHITE BACKGROUND  
RED BORDERNORMAL SIZE 90 CM  
SMALL SIZE 60 CM




No. C21-FERRYNORMAL SIZE 70mm  
SMALL SIZE 45mmBLACK SYMBOL  
WHITE BACKGROUND  
RED BORDERNORMAL SIZE 90 CM  
SMALL SIZE 60 CMNo. C22-CROSS ROADNORMAL SIZE 70mm  
SMALL SIZE 45mmBLACK SYMBOL  
WHITE BACKGROUND  
RED BORDERNORMAL SIZE 90 CM  
SMALL SIZE 60 CM



No C23-GAP IN MEDIANNo. C24 - SIDE ROAD RIGHT

No C25-SIDE ROAD LEFT



No C26A-Y INTERSECTION



No C26B-Y- INTERSECTIONNo C26C-Y- INTERSECTION

No. C27- T-INTERSECTION

NORMAL SIZE 70mm  
SMALL SIZE 45mm




BLACK SYMBOL  
WHITE BACKGROUND  
RED BORDER

NORMAL SIZE 90 CM  
SMALL SIZE 60 CM



No. C28A- STAGGERED INTERSECTION



NORMAL SIZE 70mm  
SMALL SIZE 45mm





BLACK SYMBOL  
WHITE BACKGROUND  
RED BORDER

NORMAL SIZE 90 CM  
SMALL SIZE 60 CM

No C28 B- STAGGERED INTERSECTIONNo. C29A-MAJOR ROAD AHEAD


No. C29B-MAJOR ROAD AHEADNo. C30-ROUNDAABOUT

No. C31-DANGEROUS DIPNo. C32-HUMP OR ROUGH ROAD




SCHEDULE  
(contd.)


No.C33- BARRIER AHEAD




NOTE:—A DEFINITION PLATE MAY BE ATTACHED WITH THE SIGN INDICATING THE DISTANCE TO THE BARRIER AND ANY OTHER INSTRUCTIONS.

**NO. C34-UNGUARDED LEVEL CROSSING  
(200 METRES)**


NOTE :- FOR EACH CROSSING, BOTH SIGN Nos C34 AND C35 ARE TO BE USED  
 DISTANCE OF SIGN FROM THE CROSSINGS INDICATED IN BRACKETS BELOW THE  
 SIGN HEADING

**NO. C35-UNGUARDED LEVEL CROSSING  
(50 - 100 METRES)**

NOTE :- FOR EACH CROSSING, BOTH SIGN Nos C34 AND C35 ARE TO BE USED.  
 DISTANCE OF SIGN FROM THE CROSSING IS INDICATED IN BRACKETS BELOW THE  
 SIGN HEADING, IN HILLY TERRAIN DISTANCE MAY BE REDUCED TO 30 - 60 m.


**NO C36-GUARDED LEVEL CROSSING****(200 METRES)**

**NOTE:- FOR EACH CROSSING, BOTH SIGN NOS. C36 AND C37 ARE TO BE USED**  
**DISTANCE OF SIGN FROM CROSSING IS INDICATED IN BRACKETS BELOW THE**  
**SIGN HEADING**

**NO C37-GUARDED LEVEL CROSSING****(50-100 METRES) (50-100mtr)**

**NOTE - FOR EACH CROSSING BOTH SIGN NOS C36 AND C37 ARE TO BE USED**  
**DISTANCE OF SIGN FROM CROSSING IS INDICATED IN BRACKETS BELOW THE**  
**SIGN HEADING IN HILLY TERRAIN DISTANCE MAY BE REDUCED TO 30- 60m.**


Part - c

INFORMATORY SIGNS, OF SCHEDULE OF THE MOTOR  
VEHICLES ACT 1988.NO E1- ADVANCE DIRECTION SIGN

WHITE BACKGROUND  
BLACK LETTER & ARROWS  
BLACK BORDER

NOTE 1:- THE SIGN IS ILLUSTRATIVE. ON NATIONAL HIGHWAYS, INSCRIPTION IN REGIONAL LANGUAGES MAY BE ADDED AS REQUIRED. IN THE CASE OF OTHER ROADS LANGUAGES OF INSCRIPTION MAY BE AS NECESSARY.


NOTE 2 :- THE SIZE OF THE SIGN DEPENDS ON THE MESSAGE AND SIZE OF LETTERS.

NO E2- DESTINATION SIGN

WHITE BACKGROUND  
BLACK LETTERS & ARROW.  
BLACK BORDER

NOTE 1:- THE SIGN IS ILLUSTRATIVE. ON NATIONAL HIGHWAYS, INSCRIPTIONS IN REGIONAL LANGUAGES MAY BE ADDED AS REQUIRED. IN THE CASE OF OTHER ROADS LANGUAGES OF INSCRIPTION MAY BE AS NECESSARY


NOTE 2 - THE SIZE OF THE SIGN DEPENDS ON THE MESSAGE AND SIZE OF LETTERS.

NO E 3 - DIRECTION SIGN

WHITE BACKGROUND  
BLACK LETTERS  
BLACK BORDER

NOTE 1:—THE SIGN IS ILLUSTRATIVE. ON NATIONAL HIGHWAYS, INSCRIPTIONS IN REGIONAL LANGUAGES MAY BE ADDED AS REQUIRED. IN THE CASE OF OTHER ROADS LANGUAGES OF INSCRIPTION MAY BE AS NECESSARY.

NOTE 2:—THE SIZE OF THE SIGN DEPENDS ON THE MESSAGE AND SIZE OF LETTERS.

NO. E 4 - RE - ASSURANCE SIGN

WHITE BACKGROUND  
BLACK LETTERS  
BLACK BORDER

NOTE 1:—THE SIGN IS ILLUSTRATIVE. ON NATIONAL HIGHWAYS, INSCRIPTIONS IN REGIONAL LANGUAGES MAY BE ADDED AS REQUIRED. IN THE CASE OF OTHER ROADS LANGUAGES OF INSCRIPTION MAY BE AS NECESSARY.


NOTE 2:—THE SIZE OF THE SIGN DEPENDS ON THE MESSAGE AND SIZE OF LETTERS.

NO. E 5 - PLACE IDENTIFICATION SIGN


WHITE BACKGROUND  
BLACK LETTERS  
BLACK BORDER

NOTE 1:—THE SIGN IS ILLUSTRATIVE. ON NATIONAL HIGHWAYS, INSCRIPTIONS IN REGIONAL LANGUAGES MAY BE ADDED AS REQUIRED. IN THE CASE OF OTHER ROADS LANGUAGES OF INSCRIPTION MAY BE AS NECESSARY.

NOTE 2:—THE SIZE OF THE SIGN DEPENDS ON THE MESSAGE AND SIZE OF LETTERS.


NO E 6 - PUBLIC TELEPHONE

NOTE :- ON THE BLUE BAND AT THE BOTTOM OF THE SIGN, THE DISTANCE TO THE FACILITY OR THE DIRECTION MAY BE INSCRIBED IN WHITE. SUCH INSCRIPTION SHOWN IN THE SIGN ABOVE IS ONLY ILLUSTRATIVE.

NO. E 7 - PETROL PUMP


NOTE :- ON THE BLUE BAND AT THE BOTTOM OF THE SIGN THE DISTANCE TO THE FACILITY OR THE DIRECTION MAY BE INSCRIBED IN WHITE. SUCH INSCRIPTION SHOWN IN THE SIGN ABOVE IS ONLY ILLUSTRATIVE.

NOEB-HOSPITAL




NOTE - ON THE BLUE BAND AT THE BOTTOM OF THE SIGN, THE DISTANCE TO THE FACILITY OR THE DIRECTION MAY BE INSCRIBED IN WHITE. SUCH INSCRIPTION SHOWN IN THE SIGN ABOVE IS ONLY ILLUSTRATIVE


NOE9- FIRST-AID POST



NOTE - ON THE BLUE BAND AT THE BOTTOM OF THE SIGN, THE DISTANCE TO THE FACILITY OR THE DIRECTION MAY BE INSCRIBED IN WHITE.

**NOE 10 - EATING PLACE**


NOTE :- ON THE BLUE BAND AT THE BOTTOM OF THE SIGN, THE DISTANCE TO THE FACILITY OR THE DIRECTION MAY BE INSCRIBED IN WHITE. SUCH INSCRIPTION SHOWN IN THE SIGN ABOVE IS ONLY ILLUSTRATIVE

**NOE 11 - LIGHT REFRESHMENT**

NOTE :- ON THE BLUE BAND AT THE BOTTOM OF THE SIGN, THE DISTANCE TO THE FACILITY OR THE DIRECTION MAY BE INSCRIBED IN WHITE




NO.E12-RESTING PLACE





NOTE 1:- ON THE BLUE BAND AT THE BOTTOM OF THE SIGN, THE DISTANCE TO THE FACILITY OR THE DIRECTION MAY BE INSCRIBED IN WHITE.

NOTE 2:- A DEFINITION PLATE MAY BE ATTACHED INDICATING WHETHER THE PLACE IS RESTHOUSE HOTEL OR MOTEL.


NO.E13-NO THROUGH ROAD




NOTE:- ON THE BLUE BAND AT THE BOTTOM OF THE SIGN, THE DISTANCE TO THE FACILITY OR THE DIRECTION MAY BE INSCRIBED IN WHITE.

No.E14-NO THROUGH SIDE ROADNo.E15-PARK THIS SIDE


No. E16 - PARKING BOTH SIDES



No. E17 - PARKING LOT: SCOOTERS AND  
MOTOR CYCLES




No.E18-PARKING LOT-CYCLES



BLUE BACKGROUND  
WHITE SYMBOL

BLACK SYMBOL      काला संकेत चिन्ह  
WHITE BACKGROUND      सफेद सतह


No.E19-PARKING LOT-TAXIS




BLUE BACKGROUND  
WHITE SYMBOL


BLACK SYMBOL  
WHITE BACKGROUND

No E 20 - PARKING LOT-AUTO RICKSHAWS



No E 21 - PARKING LOT-CYCLE RICKSHAWS



No.E 22 - FLOOD GAUGE"Explanatory Notes"

334

- (i) Normal Size, wherever specified, is the minimum size of the sign which is intended to be used in rural areas on highways declared to be National Highways or State Highways under any law for the time being in force in such rural areas;
- (ii) the Small Size, wherever specified, is the minimum size of the sign which is intended to be used —
  - (a) on all roads, other than the said National Highways and the State Highways, in the rural areas; and
  - (b) on all roads within the urban areas:

Provided that sign of any appropriate size may be used on bollards or alongside traffic light signals on such roads;

- (iii) the colour scheme of these signs shall be as specified therein and the reverse side of all such signs plates shall be painted grey;
- (iv) the posts of all these signs shall be painted in 25 cms. wide bands, alternatively black and white and the lowest band next to the ground shall be black;
- (v) the definition plate, whenever specified with a sign or where required to make the meaning of a sign more explicit shall have white background, black letters and black border 20 mm. wide and shall be of adequate size for legibility but not too large as to be obtrusive.

2. This notification shall come into force on the first day of July, 1989.

B. R. CHAVAN

Joint Secretary to the Govt. of India.  
(File No. RT-11013/3/89-TAG)

GOVT. PRINTING PRESS—GOA

(Imprensa Nacional—Goa)

PRICE—Rs. 11.30 Ps.